Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14	124	cache near5 (user near2 (ID$1 or password$1 or name$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 13:36
S15	108	BOM and database$1 and (access$3 near3 control$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:34
S16	2	"20040049294".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 13:58
S17	1	"20040049294".pn. and (cache near4 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:02
S18	1	"20040049294".pn. and (user adj privilege$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:03
S19	1	"20040049294".pn. and (user adj privilege$1) and (access adj criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:12
S20	1	"20040049294".pn. and (user adj ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:14
S21	0	"20040049294".pn. and (cache near4 (access adj criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:24
S22	0	"20040049294".pn. and (cache near4 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:15
S23	1	"20040049294".pn. and (cache with access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:17

S24	1	"20040049294".pn. and (application adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:17
S25	1	"20040049294".pn. and cache with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:24
S26	1	"20040049294".pn. and (cache with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 14:24
S27	45	BOM and database$1 and cache and ID and access$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:39
S28	2408	extract$3 with user with request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:39
S29	113	extract$3 with (user near ID) with request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:44
S30	169	extract$3 with (user near (ID or identification)) with request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:54
S31	1	obtain$3 with (user near (ID or identification)) with (object$1 near2 request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 09:55
S32	501	obtain$3 with (user near (ID or identification)) with request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 13:37
S33	2	"6092203".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 10:20

S34	1	"5864853".pn. and (obtain$3 with (user near (ID or identification)) with request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:02
S35	31	cache with verif$7 with (password$1 or user$1)	USPAT	OR	OFF	2005/03/03 13:56
S36	0	"5864853".pn. and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:02